

L Number	Hits	Search Text	DB	Time stamp
1	10	operations near10 administration near10 maintenance near10 loopback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:19
2	1190	protocol near5 internet near5 ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:41
3	28	display\$4 near10 protocol\$4 near10 "used" near10 network and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:44
4	277	display\$4 near10 protocol\$4 near10 network and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:44
5	11	display\$4 near10 protocol\$4 near10 network and @ad<20001114 and 709/220-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:55
6	3	packet\$4 near10 contain\$4 near10 plurality near10 config\$6 near10 protocol\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:56
7	1	packet\$4 near10 contain\$4 near10 config\$6 near10 protocol\$4 and 709/220-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:07
8	262	config\$6 near10 signal\$4 near10 packet\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:11
9	375	config\$6 near10 signal\$4 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:12
10	14	config\$6 near10 signal\$4 near10 protocol\$1 near10 packet\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:16
11	85	send\$3 near10 signal\$3 near10 protocol\$3 near10 packet\$2 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:18
12	2	send\$3 near10 signal\$3 near10 protocol\$3 near10 packet\$2 and @ad<20001114 and 709/220-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:18
-	1	709/220-222.ccls. and automat\$6 near10 configur\$4 near10 customer\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:17

-	157	709/220-222.ccls. and automat\$6 near10 configur\$4 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:07
-	4	709/220-222.ccls. and automat\$6 near10 configur\$4 and (VC or virtual near5 channel\$3) and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:13
-	0	709/220-222.ccls. and configur\$4 near10 customer\$1 and (VC or virtual near5 channel\$3) and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:13
-	10	709/\$!.ccls. and automat\$6 near10 configur\$4 near10 customer\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:14
-	51	f5 near10 operations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:27
-	1	f5 adj operations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:28
-	42	prob\$4 near10 configur\$6 near10 signal near10 channel\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:30
-	1	709/220-222.ccls. and automat\$6 near10 configur\$4 near10 modem\$2 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:42
-	2	6122287.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:50
-	58	virtual near10 channel\$3 near10 send\$3 near10 signal\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 09:52
-	31	virtual near10 channel\$3 near10 send\$3 near10 signal\$1 and configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:14
-	0	709/220-222.ccls. and automat\$6 near10 configur\$4 near10 virtual near10 channel\$4 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:15
-	1	automat\$6 near10 configur\$4 near10 virtual near10 channel\$4 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:17
-	146	automat\$6 near10 configur\$4 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:17

-	2	protocol\$1 near10 automat\$6 near10 configur\$4 near10 customer\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:22
-	0	"link control protocol configuration" near10 packet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:22
-	1	link adj5 control adj5 protocol adj5 configuration near10 packet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:25
-	17	server near10 load near10 testing and threads	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:26
-	16	server near10 load near10 testing and thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:29
-	0	kessner-amir.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:27
-	22	kessner.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:27
-	20	(server near10 load near10 testing).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:30
-	3	webstrain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:32
-	0	identif\$6 near10 VC near10 protocol\$3 near10 configur\$5 and @ad<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:35
-	0	identif\$5 near10 VC near10 protocol\$1 near10 configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:36
-	253	identif\$5 near10 protocol\$1 near10 configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	764	modem and virtual near5 channel\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:28
-	137	modem same virtual near5 channel\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:24

-	57	modem near10 virtual near5 channel\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:27
-	5	modem near10 virtual near5 channel\$1 and @ad<20001114 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:25
-	0	modem near10 virtual near5 channel\$1 near10 configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:27
-	0	modem\$1 near10 virtual near5 channel\$1 near10 configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:27
-	4	modem near10 virtual near5 channel\$1 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:28
-	57	modem near10 virtual near5 channel\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:28
-	84	modem and virtual near5 channel\$1 near10 protocol\$2 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:28
-	7	modem and virtual near5 channel\$1 near10 protocol\$2 near10 configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:28
-	69	modem and virtual near5 channel\$1 near10 protocol\$2 and configur\$6 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:31
-	2	modem near10 configur\$6 and virtual near5 channel\$1 near10 protocol\$2 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:13
-	12935	modem near10 configur\$6 detect\$4 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
-	4	modem near10 configur\$6 near10 detect\$4 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:17
-	180	configur\$6 near10 detect\$4 near10 protocol\$1 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:20
-	10	configur\$6 near10 detect\$4 near10 protocol\$1 near10 channel\$3 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:19

-	6	configur\$6 near10 detect\$4 near10 protocol\$1 and @ad<20001114 and 709/220-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:13
-	1	configur\$6 near10 detect\$4 near10 channel\$3 and @ad<20001114 and 709/220-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:14
-	766	configur\$6 near10 detect\$4 near10 channel\$3 and @ad<20001114	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:38
-	18	CPE and maung.xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:40
-	15	CPE and maung.xp. and configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:49
-	28	determin\$6 near10 valid near10 protocol\$1 near10 network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:51
-	75	determin\$6 near10 available near10 protocol\$1 near10 network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:51
-	37	determin\$6 near10 available near10 protocol\$1 near10 network\$4 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:51



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Nothing Found

Your search for the *Phrase* **protocol* <near/10> config* <near/10> packet* <near/10> automat*** did not return any results.

To search for *terms* separate them with **AND** or **OR**.

Click on the suggested options:

protocol* AND <near/10> AND config* AND <near/10> AND packet* AND <near/10> AND automat*

protocol* OR OR config* OR OR packet* OR OR automat*

To search for names try using only the last or first name.

You may revise it and try your search again below or click advanced search for more options.

protocol* <near/10> config*
<near/10> packet* <near/10>
automat*



[\[Advanced Search\]](#) [\[Search Help/Tips\]](#)



Complete Search Help and Tips

The following characters have specialized meaning:

Special Characters	Description
, () [These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
` @ \Q < { [!	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.

**IEEE Xplore**
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Sea](#)**Welcome to IEEE Xplore™**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **0** of **1006282** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved